

mobile

parts & equipment



WORLD'S MOST INNOVATIVE SUPPLIER OF
FORKLIFT SAFETY AND PEDESTRIAN LIGHTING

RZR

CREATIVELY ENGINEERED FOR SUPERIOR PERFORMANCE



THE ULTIMATE FORKLIFT
& PEDESTRIAN SAFETY
WARNING LIGHT

4 INGENUOUS NEW LIGHTS IN ONE

**LIGHT 1: HYPER-BRIGHT
CEILING TRACKING LIGHTS**

**LIGHT 2: FLOOR TO CEILING
WORK LIGHT COVERAGE**

**LIGHT 3: EXTENDED RED
ZONE COVERAGE**

**LIGHT 4: FORWARD STROBE
WARNING LIGHTS**



WE ARE PROUD TO BE THE EXCLUSIVE DISTRIBUTOR OF SAFETY LIGHTING PRODUCTS. WITH EXCEPTIONALLY COMPETITIVE PRICING AND THE BEST WARRANTY IN THE BUSINESS ON ALL OF OUR L.E.D. SAFETY PRODUCTS.



10 - 80
VOLTAGE



64 W
OUTPUT



17
LEDS



IP66
RATING



20G SHOCK
RESISTANT



-40C TO 65C
TEMP RANG



ALUMINUM
HOUSING



UNIVERSAL
MOUNTING



18 MONTH
WARRANTY

HYPER-BRIGHT CEILING TRACKING LIGHTS

INNOVATIVE LIGHT PEDESTRIANS CAN UTILIZE TO BETTER LOCATE A FORKLIFT, THAT MAY BE HIDDEN BEHIND RACKS & SHELVING. EASILY VISIBLE IN THE PEDESTRIAN'S PERIPHERAL VISION.

FLOOR TO CEILING WORK LIGHT COVERAGE

FORKLIFTS WORK ON THE VERTICAL PLANE, SO WHY ARE YOU USING REPURPOSED AUTOMOTIVE STYLE LIGHTS THAT WORK ON THE HORIZONTAL PLANE? AND AS AN ADDED BENEFIT, LESS BLINDING TO PEDESTRIANS AND OTHER OPERATORS, BECAUSE OF THE 170° OF FLOOR TO CEILING COVERAGE, AS OPPOSED TO WALL TO WALL COVERAGE.

EXTENDED RED ZONE COVERAGE

SIGNIFICANTLY IMPROVED COVERAGE AND BRIGHTNESS, FROM THE END OF THE COUNTERWEIGHT TO APPROXIMATELY 6 FEET IN FRONT OF THE MAST.

FORWARD STROBE WARNING LIGHTS

MOUNTED ON THE FRONT OF THE TRUCK, NOW MUCH MORE VISIBLE. WHEN USED WITH THE STANDARD STROBE LIGHT AFFIXED TO THE REAR OF THE TRUCK, THE WARNING AREA IS NOW GREATLY INCREASED, FRONT AND BACK.

THIS INCREDIBLE MARVEL OF OPTICAL ENGINEERING NEEDS TO BE SEEN TO TRULY UNDERSTAND ITS INNOVATIVE FEATURES.

MOUNTING

EASILY INSTALLED ON THE MAST USING THE INCLUDED INDUSTRIAL STRENGTH MAGNETS:

- NO DRILLING REQUIRED
- GUARANTEED NOT TO SLIP



VERTICAL MOUNT



HORIZONTAL MOUNT

0211 RZR COMPLETE KIT

INCLUDES THE LIGHTS (LEFT & RIGHT) AND THE MOUNTING MAGNETS

ARC LIGHT

MEET THE NEXT LOGICAL STEP AFTER THE INDUSTRY CHANGING BLUE LIGHT.



**PICTURED IN CONJUNCTION WITH
OUR RED ZONE LIGHTS**

ANOTHER FIRST FROM BEAST SAFETY PRODUCTS. OUR LED ARC LIGHT HAS BEEN DESIGNED SPECIFICALLY FOR THE REAR OF THE FORKLIFT, WITH THE SMOOTH ROUND EDGES MIMICKING THE BACK OF THE FORKLIFT, WITH A SIMILAR ROUND COUNTERWEIGHT DESIGN.


								
10 - 80 VOLTAGE	17 W OUTPUT	1 LEDS	IP67 RATING	20G SHOCK RESISTANT	-40C TO 65C TEMP RANG	ALUMINUM HOUSING	UNIVERSAL MOUNTING	18 MONTH WARRANTY

OUR SAFETY SURROUND SYSTEM


OFFERS 75 TIMES THE COVERAGE OF THE STANDARD BLUE FORKLIFT LIGHT

SO PEDESTRIANS WILL RECOGNIZE IMMEDIATELY THE DIRECTION OF THE FORKLIFT AND WHICH WAY THE OPERATOR IS FACING. TURN YOUR FORKLIFT INTO A MOBILE WARNING SYSTEM, ALERTING PEDESTRIANS AND OTHER OPERATORS OF THEIR PRESENCE WITH A SIGNIFICANTLY IMPROVED AND ENLARGED WARNING AREA THAN THE INDUSTRY STANDARD BLUE LIGHT.

SAFETY SURROUND SYSTEM



OPTION 1
RZR LIGHT & ARC LIGHT



OPTION 2
RED ZONE LIGHT & ARC LIGHT

AVAILABLE IN RED, BLUE & GREEN



0321R




0321B



0321G


DIAGRAM DRAWING



FOR OPTIONAL MOUNTING VIEW PAGE 11

BLUE LIGHTS

BLUE FORKLIFT LIGHTS HAVE BEEN INSTRUMENTAL IN REDUCING WORKPLACE DEATHS AND INJURIES.












OSHA ESTIMATES AN AVERAGE OF 101 DEATHS AND 97,570 INJURIES OCCUR ANNUALLY AS A DIRECT RESULT OF FORKLIFTS IN THE WORKPLACE. THE BLUE FORKLIFT LIGHT HAS BEEN INSTRUMENTAL IN REDUCING WORKPLACE DEATHS AND INJURIES, BY CREATING A MOBILE VISUAL WARNING SYSTEM THAT ALERTS PEDESTRIANS OF A FORKLIFTS NEAR PRESENCE.

9090




9090R
RED




			
10 - 80 VOLTAGE	400 LUMEN	6 W OUTPUT	2 LEDS
			
-40C TO 65C TEMP RANG	IP67 RATING	20G SHOCK RESISTANT	ALUMINUM HOUSING

8095



			
12 - 80 VOLTAGE	1600 LUMEN	18 W OUTPUT	12 LEDS
			
-40C TO 65C TEMP RANG	IP67 RATING	30G SHOCK RESISTANT	ALUMINUM HOUSING

9010



			
12 - 80 VOLTAGE	400 LUMEN	6 W OUTPUT	2 LEDS
			
-40C TO 65C TEMP RANG	IP67 RATING	20G SHOCK RESISTANT	ALUMINUM HOUSING


RED ZONE LIGHTS









RED ZONE FORKLIFT LIGHTS OFFER ANOTHER WARNING AREA ON EITHER SIDE OF THE FORKLIFT.




BUILDING ON THE CONCEPT OF A MOBILE VISUAL WARNING SYSTEM THAT THE BLUE LIGHT OFFERS, THE RED ZONE FORKLIFT LIGHTS OFFER ANOTHER WARNING AREA ON EITHER SIDE OF THE FORKLIFT. AND LIKE THE BLUE FORKLIFT LIGHT, RED IS NOT THE ONLY COLOR OPTION AVAILABLE. WE STOCK GREEN, AMBER AND BLUE AS WELL.









9500




			
10 - 80 VOLTAGE	1250 LUMEN	15 W OUTPUT	5 LEDS
			
-40C TO 65C TEMP RANG	IP67 RATING		ALUMINUM HOUSING








8085




 9 - 80 VOLTAGE	 1800 LUMEN	 18 W OUTPUT	 6 LEDS
 -40C TO 65C TEMP RANG	 IP67 RATING	 20G SHOCK RESISTANT	 ALUMINUM HOUSING









9990




 10 - 30 VOLTAGE	 1350 LUMEN	 5 W OUTPUT	 2 LEDS
 -40C TO 65C TEMP RANG	 IP67 RATING	 20G SHOCK RESISTANT	 ALUMINUM HOUSING









9950



 9 - 80 VOLTAGE	 1000 LUMEN	 15 W OUTPUT	 3 LEDS
 -40C TO 65C TEMP RANG	 IP67 RATING	 20G SHOCK RESISTANT	 ALUMINUM HOUSING

9900



 10 - 80 VOLTAGE	 800 LUMEN	 15 W OUTPUT	 3 LEDS
 -40C TO 65C TEMP RANG	 IP67 RATING	 20G SHOCK RESISTANT	 ALUMINUM HOUSING

ARROW LIGHTS

AN ALTERNATIVE TO THE BLUE SPOT LIGHT, OFFERING A LARGER WARNING AREA.

9200



9200B
BLUE

9200R
RED

9200G
GREEN



12 - 48
VOLTAGE



1600
LUMEN



20 W
OUTPUT



1
LEDS



-40C TO 65C
TEMP RANG





IP67
RATING



20G SHOCK
RESISTANT



ALUMINUM
HOUSING



9050



9050
BLUE



9050R
RED



12 - 80
VOLTAGE



400
LUMEN



6 W
OUTPUT



2
LEDS



-40C TO 65C
TEMP RANG



IP67
RATING



20G SHOCK
RESISTANT



ALUMINUM
HOUSING

BLINKY

EASILY CONVERT ANY STATIC LIGHT INTO A BLINKY!

AN INCREDIBLY INNOVATIVE, INEXPENSIVE PRODUCT THAT WILL BREATHE NEW LIFE AND USEFULNESS INTO ANY EXISTING BLUE FORKLIFT LIGHT OR RED ZONE LIGHTS.

NUMEROUS STUDIES HAVE SHOWN THAT TEMPORAL MODULATION (BLINKING LIGHTS) VASTLY INCREASES AWARENESS! IT'S SIMPLE TO INSTALL, INEXPENSIVE AND CAN SAVE LIVES. WE OFFER TWO FLASH PATTERNS.



MOUNTS

EASY | FAST | SECURE | ECONOMICAL

STAINLESS STEEL BRACKET




BRACKET WITH STRAPS
9101



BRACKET WITH STRAPS
9100

INDUSTRIAL STRENGTH SUPER MAGNET



SUPER MOUNT MAGNET
991220

STROBE LIGHTS

WE OFFER A LARGE SELECTION OF SAFETY STROBES SUITABLE FOR ALL FORKLIFTS.

1111

THE WORLDS FIRST TRUE MULTI-FUNCTIONAL LED STROBE LIGHT

IF YOU'RE LOOKING FOR A TRUE MULTI-FUNCTION FORKLIFT STROBE LIGHT, THEN CHECK OUT THIS ONE. THIS IS NOT A FORKLIFT INDUSTRY FIRST, THIS INCREDIBLE FORKLIFT SAFETY STROBE LIGHT IS A WORLDS FIRST!

3 COLORS:

- AMBER
- BLUE
- WHITE

3 FLASH PATTERNS:

- STANDARD
- LIGHTING
- FAST LIGHTING




7 COLOR COMBINATIONS:

- ONLY AMBER
- ONLY BLUE
- ONLY WHITE
- AMBER & BLUE
- AMBER & WHITE
- BLUE & WHITE
- WHITE & AMBER

21

COMBINATIONS

3 FLASH X 7 COLOR COMBINATIONS



10 - 80
VOLTAGE



15 W
OUTPUT



15
LEDS



IP67
RATING



20G SHOCK
RESISTANT



-40C TO 65C
TEMP RANG



PLASTIC
HOUSING



UNIVERSAL
MOUNTING



18 MONTH
WARRANTY

0100



			
12 - 80 VOLTAGE	500 LUMEN	1 W OUTPUT	1 LED
			
-40C TO 65C TEMP RANG	IP67 RATING	20G SHOCK RESISTANT	PLASTIC HOUSING






0100S



			
12 - 80 VOLTAGE	500 LUMEN	1 W OUTPUT	1 LED
			
-40C TO 65C TEMP RANG	IP67 RATING	20G SHOCK RESISTANT	PLASTIC HOUSING




0101



			
12 - 80 VOLTAGE	500 LUMEN	1 W OUTPUT	1 LED
			
-40C TO 65C TEMP RANG	IP67 RATING	20G SHOCK RESISTANT	PLASTIC HOUSING









0102



			
12 - 80 VOLTAGE	500 LUMEN	1 W OUTPUT	1 LED
			
-40C TO 65C TEMP RANG	IP67 RATING	20G SHOCK RESISTANT	PLASTIC HOUSING

0103



			
12 - 80 VOLTAGE	500 LUMEN	1 W OUTPUT	1 LED
			
-40C TO 65C TEMP RANG	IP67 RATING	20G SHOCK RESISTANT	PLASTIC HOUSING

WORK LIGHTS

ALL LED LIGHTING PRODUCTS ARE ENGINEERED FOR INDUSTRIAL USAGE.

2020i


COMPACT DESIGN,
POWERFUL PERFORMANCE!

AFTERMARKET LIGHT
EXACT FIT REPLACEMENT FOR
NEW 8 SERIES LIGHT
56590-36760-71
UNIVERSAL FIT BRACKET INCLUDED

NOT ONLY IS THIS LIGHT ~90% LESS EXPENSIVE THAN O.E.M. BUT OUR ENGINEERS HAVE IMPROVED THE LIGHT COVERAGE, MADE IT MULTI-VOLTAGE(12-48V) AND WE HAVE ADDED AN OPTIONAL UNIVERSAL MOUNTING BRACKET, SO IT WILL FIT ON ANY FORKLIFT. AND OUR NO-DRILL, INDUSTRIAL STRENGTH MAGNETS MAKES INSTALLATION FAST AND SECURE.













2020i ON NEW 8 SERIES LIGHT BRACKET




2020i ON UNIVERSAL MAGNET MOUNT










2020i




		
10 - 80 VOLTAGE	1600 LUMEN	12 W OUTPUT
		
1 LED	IP67 RATING	20G SHOCK RESISTANT
		
-40C TO 65C TEMP RANG	ALUMINUM HOUSING	UNIVERSAL MOUNTING










2025




		
10 - 30 VOLTAGE	1350 LUMEN	18 W OUTPUT
		
6 LEDS	IP67 RATING	20G SHOCK RESISTANT
		
-40C TO 65C TEMP RANG	ALUMINUM HOUSING	UNIVERSAL MOUNTING










2027




		
10 - 30 VOLTAGE	1050 LUMEN	15 W OUTPUT
		
5 LEDS	IP67 RATING	20G SHOCK RESISTANT
		
-40C TO 65C TEMP RANG	ALUMINUM HOUSING	UNIVERSAL MOUNTING

2030




		
10 - 80 VOLTAGE	1800 LUMEN	27 W OUTPUT
		
9 LEDS	IP67 RATING	20G SHOCK RESISTANT
		
-40C TO 65C TEMP RANG	ALUMINUM HOUSING	UNIVERSAL MOUNTING


2040

10 - 80
VOLTAGE1800
LUMEN27 W
OUTPUT9
LEDSIP67
RATING20G SHOCK
RESISTANT-40C TO 65C
TEMP RANGALUMINUM
HOUSINGUNIVERSAL
MOUNTING



4010

10 - 48
VOLTAGE3080
LUMEN42 W
OUTPUT14
LEDSIP67
RATING20G SHOCK
RESISTANT-40C TO 65C
TEMP RANGALUMINUM
HOUSINGUNIVERSAL
MOUNTING

4020

10 - 48
VOLTAGE3080
LUMEN42 W
OUTPUT14
LEDSIP67
RATING20G SHOCK
RESISTANT-40C TO 65C
TEMP RANGALUMINUM
HOUSINGUNIVERSAL
MOUNTING

4030



10 - 48
VOLTAGE



3520
LUMEN



48 W
OUTPUT



16
LEDS



IP67
RATING



20G SHOCK
RESISTANT



-40C TO 65C
TEMP RANG





ALUMINUM
HOUSING



UNIVERSAL
MOUNTING

4040



10 - 48
VOLTAGE



3520
LUMEN



48 W
OUTPUT



16
LEDS



IP67
RATING



20G SHOCK
RESISTANT



-40C TO 65C
TEMP RANG





ALUMINUM
HOUSING



UNIVERSAL
MOUNTING

4050



10 - 48
VOLTAGE



880
LUMEN



12 W
OUTPUT



4
LEDS



IP67
RATING



20G SHOCK
RESISTANT



-40C TO 65C
TEMP RANG





ALUMINUM
HOUSING



UNIVERSAL
MOUNTING

6060



10 - 48
VOLTAGE



900
LUMEN



15 W
OUTPUT



5
LEDS



IP67
RATING



20G SHOCK
RESISTANT



-40C TO 65C
TEMP RANG





ALUMINUM
HOUSING



UNIVERSAL
MOUNTING

6061



BATTERY: 3PCS
* AAA



1
LED



3 W
OUTPUT



-40C TO 65C
TEMP RANG





IP67
RATING



20G SHOCK
RESISTANT

6062



5
VOLTAGE



540
LUMEN



9 W
OUTPUT



3
LEDS



IP67
RATING



20G SHOCK
RESISTANT



-40C TO 65C
TEMP RANG













ALUMINUM
HOUSING




UNIVERSAL
MOUNTING








6063



		
10 - 48 VOLTAGE	400 LUMEN	5 W OUTPUT
		
1 LED	IP67 RATING	20G SHOCK RESISTANT
		
-40C TO 65C TEMP RANG	ALUMINUM HOUSING	UNIVERSAL MOUNTING

7070



		
10 - 48 VOLTAGE	14 LEDS	28 W OUTPUT
		
-40C TO 65C TEMP RANG	IP67 RATING	20G SHOCK RESISTANT
		
		PLASTIC HOUSING

LIKE OUR LIGHTS? THEN YOU'LL LOVE OUR OTHER PRODUCTS.

DID YOU KNOW THAT WE OFFER A HUGE SELECTION OF FORKLIFT PARTS AND ACCESSORIES? ALL WITH BELOW WHOLESALE PRICING AND THE INDUSTRIES BEST WARRANTY ON EVERYTHING WE OFFER. FROM OUR ALL ALUMINUM RADIATORS TO FORKLIFT WIRELESS SAFETY CAMERAS TO ALL THE FAST MOVING PARTS YOU MAY NEED, WE HAVE YOU COVERED.



WORLDS BEST FORKLIFT LIGHTING WARRANTY
200 W. 6TH STREET LOCKPORT, IL 60441
PARTSANDEQUIPMENT.COM 1-800-823-1108